Neuroscience Letters, 134 (1992) 289–292
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Alford, S., see Christenson, J., 93
Alreja, M., Aghajanian, G.K. and neurones by cholera toxin: mediation by cAMP-dependent protein kinase, 113
Anderson, D., see Ng, J.P., 229
Antunes-Rodrigues, J., see Saad, W.A., 212
Araki, T., see Nagasawa, H., 271
Arilla, E., see Rodríguez-Sánchez, M.N., 37

Bakhtiar, R., see Bull, D.R., 41
Ballanyi, K., see Smith, J.C., 153
Barritault, D., see Hondermarck, H., 247
Bars, D.L., see Villanueva, L., 98
Baumgartner, C., Doppelbauer, A., Sutherling, W.W., Zeitlhofer, J., Lindinger, G., Lind, C. and Deecke, L., Human somatosensory cortical finger representation as studied by combined neuromagnetic and neuroelectric measurements, 103
Beatty, J., see Kirsch, S.J., 187
Bencherif, M. and Lukas, R.J., Vanadate amplifies receptor-mediated accumulation of inositol trisphosphates and inhibits inositol tris- and tetrakis-phosphatase activities, 157
Bennett, M.R. and Lavidis, N.A., Probabilistic secretion of quanta from the release sites of nerve terminals in amphibian muscle modulated by seasonal changes, 79
Beracochea, D. and Jaffard, R., Effects of chronic ethanol consumption associated or not with experimental anterior thalamic lesions on spontaneous sequential alternation in mice, 45
Billard, J.M., Daniel, H. and Pumain, R., Sensitivity of rubrospinal neurons to excitatory amino acids in the rat red nucleus in vivo, 49
Black, M.D. and Crossman, A.R., Changes in dopamine D_1 and D_1 receptor binding in the substantia nigra following intrastriatal injection of a retrograde neurotoxin (volkensin), 180
Boddeke, H.W.G.M. and Kalkman, H.O., Agonist effects at putative central 5-HT_4 receptors in rat hippocampus by *R*(+)- and *S*(−)-zacopride; no evidence for stereo-selectivity, 261
Bodega, G., see Rubio, M., 203
Boilly, B., see Hondermarck, H., 247
Bos, N.P.A., see Gorter, J.A., 29
Bourgoin, S., see Collin, E., 238
Bruhn, T., see Christensen, T., 71
Bull, D.R., Bakhtiar, R. and Sheehan, M.J., Characterization of dopamine autoreceptors in the amygdala: a fast cyclic voltammetric study in vitro, 41
Butcher, L.L., see Kirsch, S.J., 187

Carstensen, E.L., see Child, S.Z., 169
Cesselin, F., see Collin, E., 238
Chan, J.Y.H., Lin, S.-S. and Chan, S.H.H., Reversal by pertussis toxin and *N*-ethylmaleimide of the facilitation of baroreceptor reflex response by somatostatin in the rat, 267
Chan, S.H.H., see Chan, J.Y.H., 267
Chen, I.C., see Chiang, C.Y., 233
Chiang, C.Y., Chen, I.C., Dostrovsky, J.O. and Sessle, B.J., Anterior pretectal nucleus-induced modulatory effects on trigeminal brainstem somatosensory neurons, 233
Child, S.Z., Hartman, C.L., Schery, L. and Carstensen, E.L., A test for increased lethality in land snails exposed to 60 Hz magnetic fields, 169
Christensen, T., Bruhn, T., Diemer, N.H. and Schousboe, A., Effect of phenylsuccinate on potassium- and ischemia-induced release of glutamate in rat hippocampus monitored by microdialysis, 71
Christenson, J., Alford, S., Grillner, S. and Hökfelt, T., Co-localized GABA and somatostatin use different ionic mechanisms to hyperpolarize target neurons in the lamprey spinal cord, 93
Chung, J.M., see Kim, S.H., 131
Ciriello, J., see Roder, S., 161
Cohen, S.Y., see Faucheux, B., 118
Collin, E., Bourgoin, S., Ferhat, L., Hamon, M. and Cesselin, F., κ-Opioid receptor stimulation abolishes μ- but not δ-mediated inhibitory control of spinal Met-enkephalin release, 238
Cook, N.J., see Wässle, H., 199
Cools, A.R. and Peeters, B.W.M.M., Differences in spike-wave discharges in two rat selection lines characterized by opposite dopaminergic activities, 253
Courtois, Y., see Faucheux, B., 118
Courty, J., see Hondermarck, H., 247
Crossman, A.R., see Black, M.D., 180

Dahlqvist, Å., Pequignot, J.M. and Hellström, S., Laryngeal nerve paraganglia of the rat are morphologically and biochemically unchanged by long-term hypercapnia, 25
Daniel, H., see Billard, J.M., 49
Dauchel, M.C., see Hondermarck, H., 247
De Arruda Camargo, L.A., see Saad, W.A., 212
De Luca Jr., L.A., see Saad, W.A., 212
De Pommery, J., see Villanueva, L., 98
Deecke, L., see Baumgartner, C., 103
Depaulis, A., see Maton, B., 284
Di Prisco, G.V., Dubuc, R., Wallén, P. and Grillner, S., 5-Hydroxytryptamine modulates spike frequency regulation in reticulospinal neurons involved in the control of locomotion in lamprey, 279
Diemer, N.H., see Christensen, T., 71
Dinopoulos, A. and Parnavelas, J.G., The development of ventral tegmental area (VTA) projections to the visual cortex of the rat, 12
Dluzen, D.E., see Laping, N.J., 1
Dodd, P.R., see Kavanagh, J.M., 83
Dong, Y.-X., see Li, Y.-Q., 33
Doppelbauer, A., see Baumgartner, C., 103
Dostrovsky, J.O., see Chiang, C.Y., 233
Dray, A., see Urban, L., 9
Dubuc, R., see Di Prisco, G.V., 279
Dupuis, C., see Faucheux, B., 118

Eisenberg, H., see Terrell, M.L., 122

Farb, C.R., see LeDoux, J.E., 139
Farb, C.R., see LeDoux, J.E., 145
Faucheux, B., Dupuis, C., Cohen, S.Y., Tourbah, A., Jonet, L., Raulais, D., Vigny, M., Courtois, Y. and Jeanny, J.C., Acidic fibroblast growth factor (aFGF)-like immunoreactivity in the optic nerve, 118
Ferhat, L., see Collin, E., 238
Fernandez, B., see Rubio, M., 203
Freeman, S., see Terrell, M.L., 122
Fujimori, K., see Inoue, K., 215
Fujita, K., see Yamada, K., 57

Fukuuchi, Y., see Isozumi, K., 67

Gähwiler, B.H., see Gerber, U., 53
Gerber, U. and Gähwiler, B.H., Cobalt blocks postsynaptic responses induced by neurotransmitters in the hippocampus in vitro, 53
Goiny, M., see Janson, A.M., 88
Gorter, J.A., Titulaer, M., Bos, N.P.A. and Huisman, E., Chronic neonatal MK-801 administration leads to a long-lasting increase in seizure sensitivity during the early stages of hippocampal kindling, 29
Griffith, K.E., see Tschanz, J.T., 127
Grillner, S., see Christenson, J., 93
Grillner, S., see Di Prisco, G.V., 279
Grünert, U., see Wässle, H., 199

Hamon, M., see Collin, E., 238
Han, J.S., see Ma, Q.P., 21
Hara, M., see Inoue, M., 75
Haracz, J.L., see Tschanz, J.T., 127
Hartman, C.L., see Child, S.Z., 169
Hatanaka, H., see Motoike, T., 109
Heinrich, H., see Skrandies, W., 165
Hellström, S., see Dahlqvist, Å., 25
Herrera-Marschitz, M., see Janson, A.M., 88
Hirose, T., see Inoue, M., 75
Hirsch, E., see Maton, B., 284
Hökfelt, T., see Christenson, J., 93
Hondermarck, H., Courty, J., Dauchel, M.C., Barritault, D. and Boilly, B., High and low affinity membrane binding sites for fibroblast growth factors in the developing chick brain, 247
Huisman, E., see Gorter, J.A., 29

Ikeda, K., see Namba, Y., 264
Inagaki, C., see Inoue, M., 75
Inagaki, S., see Shimada, S., 243
Inoue, K., Nakazawa, K., Fujimori, K., Watano, T. and Takanaka, A., Extracellular adenosine 5′-triphosphate-evoked glutamate release in cultured hippocampal neurons, 215
Inoue, M., Hara, M., Zeng, X.-T., Hirose, T., Ohnishi, S., Yasukura, T., Uriu, Toshiko, Omori, K., Minato, A. and Inagaki, C., An ATP-driven Cl^- pump regulates Cl^- concentrations in rat hippocampal neurons, 75
Iriuchijima, T., Mizuma, H., Michimata, T., Ogiwara, T., Yamada, M., Murakami, M. and Mori, M., Thyroid hormone affects the hydrolysis of inositol phospholipids in the rat hypothalamus, 275
Isozumi, K., Fukuuchi, Y., Koto, A., Suzuki, N., Izumi, Y. and Tsuzuki, Y., Moderate hypoglycemia induces ultrastructural changes in perivascular nerve terminals of cat cerebral arteries, 67
Izumi, Y., see Isozumi, K., 67

Jacobs, R.W., see Kirsch, S.J., 187
Jaffard, R., see Beracochea, D., 45
Janson, A.M., Meana, J.J., Goiny, M. and Herrera-Marschitz, M., Chronic nicotine treatment counteracts the decrease in extracellular neostriatal dopamine induced by a unilateral transection at the meso-diencephalic junction in rats: a microdialysis study, 88
Jeanny, J.C., see Faucheux, B., 118
Johnson, S.W., see Sugita, S., 207
Jonet, L., see Faucheux, B., 118
Justice, J.B. Jr., see Ng, J.P., 229

Kadekaro, M., see Terrell, M.L., 122
Kalkman, H.O., see Boddeke, H.W.G.M., 261
Kaneda, N., see Yamada, K., 57
Karasawa, N., see Yamada, K., 57
Kataoka, Y., see Koizumi, S., 219
Katsuki, M., see Yamada, K., 57
Kavanagh, J.M., Dodd, P.R. and Rostas, J.A.P., [^{3}H]MK-801 binding in immature and mature chicken forebrain, 83
Kelly, J.B., see Wu, S.H., 257
Kim, S.H. and Chung, J.M., Sympathectomy alleviates mechanical allodynia in an experimental animal model for neuropathy in the rat, 131
Kirsch, S.J., Jacobs, R.W., Butcher, L.L. and Beatty, J., Prolongation of magnetic resonance T_2 time in hippocampus of human patients marks the presence and severity of Alzheimer's disease, 187
Kobayashi, K., see Yamada, K., 57
Kogure, K., see Nagasawa, H., 271
Koizumi, S., Kataoka, Y., Niwa, M. and Kumakura, K., Endothelin-3 stimulates the release of catecholamine from cortical and striatal slices of the rat, 219
Koto, A., see Isozumi, K., 67
Kumakura, K., see Koizumi, S., 219
Kushima, Y., see Motoike, T., 109

Laping, N.J., Dluzen, D.E. and Ramirez, V.D., Prolactin stimulates dopamine release from the rat corpus striatum in the absence of extra-cellular calcium, 1
Lasoń, W., see Przewłocka, B., 195
Lavidis, N.A., see Bennett, M.R., 79
LeDoux, J.E. and Farb, C.R., Neurons of the acoustic thalamus that project to the amygdala contain glutamate, 145
LeDoux, J.E., Farb, C.R. and Romanski, L.M., Overlapping projections to the amygdala and striatum from auditory processing areas of the thalamus and cortex, 139
Li, Y.-Q., Zeng, S.-L., Dong, Y.-X., Rao, Z.-R. and Shi, J.-W., Serotonin-, substance P- and tyrosine hydroxylase-like immunoreactive neurons projecting from the periaqueductal gray to the ventromedial hypothalamic nucleus in the rat, 33
Li, Y.-Q., Zeng, S.-L., Rao, Z.-R. and Shi, J.-W., Serotonin-, substance P- and tyrosine hydroxylase-like immunoreactive neurons projecting from the midbrain periaqueductal gray to the nucleus tractus solitarii in the rat, 175
Liem, B.J., see Ng, J.P., 229
Lin, S.-S., see Chan, J.Y.H., 267
Lind, C., see Baumgartner, C., 103
Lindinger, G., see Baumgartner, C., 103
Lombardi, G. and Moroni, F., GM_1 ganglioside reduces ischemia-induced excitatory amino acid output: a microdialysis study in the gerbil hippocampus, 171
Lukas, R.J., see Bencherif, M., 157

Ma, Q.P., Yin, G.F., Ai, M.K. and Han, J.S., Serotonergic projections from the nucleus raphe dorsalis to the amygdala in the rat, 21
Madamba, S., see Yuan, X., 223
Marescaux, C., see Maton, B., 284
Maton, B., Hirsch, E., Vergnes, M., Depaulis, A. and Marescaux, C., Dorsal tegmentum kindling in rats, 284
McCloskey, M.J.D., see Potter, E.K., 183
Meana, J.J., see Janson, A.M., 88
Menacherry, S.D., see Ng, J.P., 229
Menétrey, D., see Villanueva, L., 98
Michimata, T., see Iriuchijima, T., 275
Minato, A., see Inoue, M., 75
Miura, M., see Takayama, K., 62
Mizuma, H., see Iriuchijima, T., 275

Molday, R.S., see Wässle, H., 199
Mori, M., see Iriuchijima, T., 275
Moroni, F., see Lombardi, G., 171
Motoike, T., Sano, K., Tsuneishi, S., Nakamura, H., Kushima, Y., Hatanaka, H. and Takai, Y., Expression and localization of *smg* p25A (=*rab3*A) in cultured rat hippocampal cells, 109
Murakami, M., see Iriuchijima, T., 275

Nadelhaft, I., see Vera, P.L., 135
Nagasawa, H., Araki, T. and Kogure, K., Alteration of dopamine D_1 receptor in the strionigral system of the postischemic rat brain, 271
Nagatsu, I., see Yamada, K., 57
Nagatsu, T., see Yamada, K., 57
Nakamura, H., see Motoike, T., 109
Nakazawa, K., see Inoue, K., 215
Namba, Y., Tsuchiya, H. and Ikeda, K., Apolipoprotein B immunoreactivity in senile plaque and vascular amyloids and neurofibrillary tangles in the brains of patients with Alzheimer's disease, 264
Narita, N., see Shimada, S., 243
Ng, J.P., Menacherry, S.D., Liem, B.J., Anderson, D., Singer, M. and Jr., J.B. Justice, Anomalous effect of mazindol on dopamine uptake as measured by in vivo voltammetry and microdialysis, 229
Niwa, M., see Koizumi, S., 219
Noga, B.R., see Skoog, Bengt, 5
Nohr, D. and Weihe, E., Tachykinin-, calcitonin gene-related peptide-, and protein gene product 9.5-immunoreactive nerve fibers in alveolar walls of mammals, 17
Nomura, T., see Yamada, K., 57
North, R.A., see Sugita, S., 207

Ogiwara, T., see Iriuchijima, T., 275
Ohnishi, S., see Inoue, M., 75
Omori, K., see Inoue, M., 75

Parnavelas, J.G., see Dinopoulos, A., 12
Peeters, B.W.M.M., see Cools, A.R., 253
Pequignot, J.M., see Dahlqvist, Å., 25
Potter, E.K. and McCloskey, M.J.D., [Leu^{31}, Pro^{34}] NPY, a selective functional postjunctional agonist at neuropeptide-Y receptors in anaesthetised rats, 183
Przewłocka, B., Lasoń, W. and Przewłocki, R., Repeated ethanol administration decreases prodynorphin biosynthesis in the rat hippocampus, 195
Przewłocki, R., see Przewłocka, B., 195
Pumain, R., see Billard, J.M., 49

Ramirez, V.D., see Laping, N.J., 1
Rao, Z.-R., see Li, Y.-Q., 33
Rao, Z.-R., see Li, Y.-Q., 175
Raulais, D., see Faucheux, B., 118
Rebec, G.V., see Tschanz, J.T., 127
Reich, G., A new peptide of the oxytocin/vasopressin family isolated from nerves of the cephalopod *Octopus vulgaris*, 191
Renzi, A., see Saad, W.A., 212
Richter, D.W., see Smith, J.C., 153
Roder, S. and Ciriello, J., Caudal ventrolateral medullary projections to the nucleus of the solitary tract in the cat, 161
Rodríguez-Sánchez, M.N. and Arilla, E., Changes in striatal somatostatin receptors in pups after cocaine administration to pregnant and nursing dams, 37
Romanski, L.M., see LeDoux, J.E., 139
Rostas, J.A.P., see Kavanagh, J.M., 83
Rubio, M., Suarez, I., Bodega, G. and Fernandez, B., Glial fibrillary acidic protein and vimentin immunohistochemistry in the posterior rhombencephalon of the Iberian barb (*Barbus comiza*), 203

Saad, W.A., De Arruda Camargo, L.A., Renzi, A., De Luca Jr., L.A., Antunes-Rodrigues, J. and Saad, W.A., Alterations in the water intake caused by central inhibition of angiotensin-converting enzyme in the rat, 212
Saad, W.A., see Saad, W.A., 212
Sakai, M., see Yamada, K., 57
Sano, K., see Motoike, T., 109
Sasaoka, T., see Yamada, K., 57
Schery, L., see Child, S.Z., 169
Schousboe, A., see Christensen, T., 71
Sessle, B.J., see Chiang, C.Y., 233
Sheehan, M.J., see Bull, D.R., 41
Shi, J.-W., see Li, Y.-Q., 33
Shi, J.-W., see Li, Y.-Q., 175
Shimada, S., Inagaki, S., Narita, N. and Takagi, H., Synaptic contacts between CGRP-immunoreactive terminals and enkephalin-immunoreactive neurons in the central amygdaloid nucleus of the rat, 243
Siggins, G.R., see Yuan, X., 223
Singer, M., see Ng, J.P., 229
Skoog, Bengt and Noga, B.R., Do noradrenergic descending tract fibres contribute to the depression of transmission from group II muscle afferents following brainstem stimulation in the cat?, 5
Skrandies, W. and Heinrich, H., Differential effects of mild hypoglycemia on proximal and distal retinal structures in man as revealed by electroretinography, 165
Smith, J.C., Ballanyi, K. and Richter, D.W., Whole-cell patch-clamp recordings from respiratory neurons in neonatal rat brainstem in vitro, 153
Suarez, I., see Rubio, M., 203
Sugita, S., Johnson, S.W. and North, R.A., Synaptic inputs to $GABA_A$ and $GABA_B$ receptors originate from discrete afferent neurons, 207
Sutherling, W.W., see Baumgartner, C., 103
Suzuki, N., see Isozumi, K., 67

Takagi, H., see Shimada, S., 243
Takai, Y., see Motoike, T., 109
Takanaka, A., see Inoue, K., 215
Takayama, K. and Miura, M., Glutamate-immunoreactive neurons of the central amygdaloid nucleus projecting to the subretrofacial nucleus of SHR and WKY rats: a double-labeling study, 62
Takeuchi, T., see Yamada, K., 57
Terrell, M.L., Kadekaro, M., Freeman, S. and Eisenberg, H., Effects of chemical stimulation of the subfornical organ on metabolic activity of the hypothalamo-neurohypophysial system in rats, 122
Titulaer, M., see Gorter, J.A., 29
Tourbah, A., see Faucheux, B., 118
Tschanz, J.T., Haracz, J.L., Griffith, K.E. and Rebec, G.V., Bilateral cortical ablations attenuate amphetamine-induced excitations of neostriatal motor-related neurons in freely moving rats, 127
Tsuchiya, H., see Namba, Y., 264
Tsuneishi, S., see Motoike, T., 109
Tsuzuki, Y., see Isozumi, K., 67

Urban, L. and Dray, A., Capsazepine, a novel capsaicin antagonist, selectively antagonises the effects of capsaicin in the mouse spinal cord in vitro, 9
Uriu, Toshiko, see Inoue, M., 75

Vera, P.L., tation of the micturition reflex in awake, freely-moving rats, 135
Vergnes, M., see Maton, B., 284
Vigny, M., see Faucheux, B., 118
Villanueva, L., De Pommery, J., Menétrey, D. and Bars, D.L., Spinal afferent projections to subnucleus reticularis dorsalis in the rat, 98

Wallén, P., see Di Prisco, G.V., 279
Wässle, H., Grünert, U., Cook, N.J. and Molday, R.S., The cGMP-gated channel of rod outer segments is not localized in bipolar cells of the mammalian retina, 199
Watano, T., see Inoue, K., 215
Weihe, E., see Nohr, D., 17
Wu, S.H. and Kelly, J.B., NMDA, non-NMDA and glycine receptors mediate binaural interaction in the lateral superior olive: physiological evidence from mouse brain slice, 257

Yamada, K., Sakai, M., Takeuchi, T., Karasawa, N., Kaneda, N., Sasaoka, T., Kobayashi, K., Yokoyama, M., Nomura, T., Katsuki, M., Fujita, K., Nagatsu, T. and Nagatsu, I., Enhanced expression of human tyrosine hydroxylase in the lower brainstem of transgenic mice, 57
Yamada, M., see Iriuchijima, T., 275
Yasukura, T., see Inoue, M., 75
Yin, G.F., see Ma, Q.P., 21
Yokoyama, M., see Yamada, K., 57
Yuan, X., Madamba, S. and Siggins, G.R., Opioid peptides reduce synaptic transmission in the nucleus accumbens, 223

Zeitlhofer, J., see Baumgartner, C., 103
Zeng, S.-L., see Li, Y.-Q., 33
Zeng, S.-L., see Li, Y.-Q., 175
Zeng, X.-T., see Inoue, M., 75

CONTENTS *(continued from back cover)*

Differences in spike-wave discharges in two rat selection lines characterized by opposite dopaminergic activities
A.R. Cools and B.W.M.M. Peeters (Netherlands) 253
NMDA, non-NMDA and glycine receptors mediate binaural interaction in the lateral superior olive: physiological evidence from mouse brain slice
S.H. Wu and J.B. Kelly (Canada) 257
Agonist effects at putative central 5-HT_4 receptors in rat hippocampus by $R(+)$- and $S(-)$-zacopride; no evidence for stereo-selectivity
H.W.G.M. Boddeke and H.O. Kalkman (Switzerland) 261
Apolipoprotein B immunoreactivity in senile plaque and vascular amyloids and neurofibrillary tangles in the brains of patients with Alzheimer's disease
Y. Namba, H. Tsuchiya and K. Ikeda (Japan) 264
Reversal by pertussis toxin and *N*-ethylmaleimide of the facilitation of baroreceptor reflex response by somatostatin in the rat
J.Y.H. Chan, S.-S. Lin and S.H.H. Chan (Taiwan) 267
Alteration of dopamine D_1 receptor in the strionigral system of the postischemic rat brain
H. Nagasawa, T. Araki and K. Kogure (Japan) 271
Thyroid hormone affects the hydrolysis of inositol phospholipids in the rat hypothalamus
T. Iriuchijima, H. Mizuma, T. Michimata, T. Ogiwara, M. Yamada, M. Murakami and M. Mori (Japan) 275
5-Hydroxytryptamine modulates spike frequency regulation in reticulospinal neurons involved in the control of locomotion in lamprey
G.V. Di Prisco, R. Dubuc, P. Wallén and S. Grillner (Sweden) 279
Dorsal tegmentum kindling in rats
B. Maton, E. Hirsch, M. Vergnes, A. Depaulis and C. Marescaux (France) 284

Author index 289